



Wavy Tail Remedial Ties

The wavy tail design ties are available in lengths from 150 to 300mm, engineered for integration with resins. Fabricated from grade 304 stainless steel, these ties demonstrate outstanding durability and superior corrosion resistance, ensuring a minimum service life of 60 years. Additionally, they are classified as non-combustible under national Building Regulations, offering reliable performance in fire safety applications.

Product Description

The Wavy Tail Remedial Ties, available in lengths ranging from 150 to 300mm, are meticulously engineered for seamless integration with resins. These ties are fabricated from premium grade 304 stainless steel, known for its exceptional durability and superior resistance to corrosion. This high-quality material ensures that the ties can withstand harsh environmental conditions, providing robust performance and reliability. With an extended service life, these ties are a cost-effective and long-lasting solution for various construction and repair projects, reducing the need for frequent replacements and maintenance.

In addition to their exceptional material properties, these wavy tail design ties are classified as non-combustible under national Building Regulations. This classification ensures that the ties do not contribute to the spread of fire, offering reliable fire safety performance in critical applications. Whether used in residential, commercial, or industrial settings, these ties meet stringent safety standards, providing peace of mind to builders, engineers, and occupants. Their combination of durability, corrosion resistance, and fire safety makes these ties an ideal choice for applications requiring both structural integrity and adherence to safety regulations.

Thus, these connectors emerge as indispensable components in the intricate web of construction, safeguarding not just the masonry walls but the overall stability and safety of the entire building framework.

